



























EXIT









F.O SERV TK  
CAP:5.5M³





D23\_05\_2018 SWL: 0.5T









NOTICE

Various notices and documents posted on the wall, including a yellow notice and several white papers with text and diagrams.





**ĐẠI LÝ NGÂN HÀNG**  
Chợ gạo Cầu Ông Thìn - Lớn nhất vùng  
Cung cấp gạo thơm ngon - 100% gạo  
tự trồng tại Việt Nam  
Số điện thoại: 0909 888 888  
Địa chỉ: Cầu Ông Thìn, Quận Cầu Ông Thìn, TP. Hồ Chí Minh

**14**  
24

HARBOUR SPEED			
DIRECTION	AHEAD	ASTERN	
WALK	100 RPM	100 RPM	
SLIP	100 RPM	100 RPM	
SLIP	100 RPM	100 RPM	
SLIP	100 RPM	100 RPM	
SLIP	100 RPM	100 RPM	

OPERATIONAL INSTRUCTIONS FOR THE ENGINE ROOM





**ĐẠI LÝ NGÂN NGỌC**  
Chuyên: Các P&H - Lắp đặt các loại  
Cung cấp: Thiết bị điện - Tủ điện -  
Thiết bị điều khiển động cơ  
Số điện thoại: 0909 888 888 - 0909 888 888

14  
24


HARBOUR SPEED			
DIRECTION	AHEAD	ASTERN	
REVERSE			
FULL	100 RPM	100 RPM	
HALF	50 RPM	50 RPM	
BLOW	100 RPM	100 RPM	
HEAD BLOW	75 RPM	75 RPM	

DO NOT OPERATE WITHOUT THE APPROVAL OF THE ENGINE ROOM SUPERVISOR



BHC: 30.3 T  
RP: 30.0 T

BHC: 30.3 T  
RP: 30.0 T  
DATE TEST: 25.07.2022







BHC: 25.9 T DATE TEST: 25.07.2022  
RP: 25.3 T

BHC: 25.9 T  
RP: 25.3 T

MO TING

FORE WENT





SWL 0.95T





PRESS TEST: 15 BAR PRESSURE RATING: 10 BAR

CARGO LINE 4  
PRESS TEST: 15BAR DATE 25-07-2021  
PRESSURE RATING: 10 BAR

CARGO LINE 5  
PRESS TEST: 15BAR DATE 25-07-2021  
PRESSURE RATING: 10 BAR



CARGO LINE 3  
PRESS TEST: 15 BAR

DATE: 25-07-2021  
PRESSURE MARK: 10 BAR


CARGO LINE 4  
PRESS TEST: 15BAR

DATE: 25-07-2021  
PRESSURE MARK: 10 BAR

CARGO LINE 5  
PRESS TEST: 15BAR

DATE: 25-07-2021  
PRESSURE MARK: 10 BAR





IMO 9140580

D SMOKI

SAFETY + FIRE

DANGEROUS CARGO

P/V 5P P +0.2 Kg/Cm² V -0.035 Kg/Cm²  
P/V 4S P +0.2 Kg/Cm² V -0.035 Kg/Cm²

P/V 5S P +0.2 Kg/Cm² V -0.035 Kg/Cm²

P/V 4P P +0.2 Kg/Cm² V -0.035 Kg/Cm²







**SWL: 0.95T - 15M**

**DATE TEST: 02-08-2021**





SWL: 0.95T - 15M  
DATE TEST: 02-08-2021

NO 91405801  
NO SMOKING  
SAFETY + FIRST  
DANGER TOUS CARGO









AC ETYLENE BOX

DRY B

SWL:30T

BHC: 25.9 T  
RP: 25.2 T  
DATE TEST: 15.07.20

BHC: 25.9 T  
RP: 25.2 T













BHC: 25.9 T  
RP: 25.2 T

DATE TEST: 25.07.2022

BHC: 25.9 T  
RP: 25.2 T





BHC: 25.9  
RP: 25

BHC: 25.9 T DATE TEST: 25.07.2022  
RP: 25.3 T

NO SM  
SAFETY  
DANGER





**SWL: 30T**







IC: 22.8T  
8-07-2021



SWL: 40T



IMO No: 9140580

SAFETY + FIRST

CALL SIGN: 3WV







PHONETIC ALPHABET AND FIGURE CODE

Letter	Code
A	ALFA
B	BRAVO
C	CHARLIE
D	DAKOTA
E	ECHO
F	FOXTROT
G	GOLF
H	HOTEL
I	INDIA
J	JULIETT
K	KILO
L	LIMA
M	MIKE
N	NOVEMBER
O	OSCAR
P	PAPA
Q	QUEBEC
R	ROMEO
S	SIGMA
T	TANGO
U	UNIFORM
V	VERMONT
W	WHISKEY
X	XRAY
Y	YANKEE
Z	ZULU

Figure	Code
0	ZERO
1	ONE
2	TWO
3	THREE
4	FOUR
5	FIVE
6	SIX
7	SEVEN
8	EIGHT
9	NINE

**GARBAGE DISPOSAL PLAN - MARPOL 73/78 ANNEX V**  
According to IMO Resolution MEPC 277(72), MEPC 280(71), MEPC 281(72) and MEPC 282(73)

The diagram illustrates a garbage disposal system. It shows a hopper at the top, a pump in the middle, and a discharge point at the bottom. The pump is connected to the hopper and the discharge point. The discharge point is located in the bilge. The diagram is labeled with 'HOPPER', 'PUMP', and 'DISCHARGE POINT'.





FILE CAP  
GNP 07-0  
GNP 18-1

210

210



STATIONERY

ALCOHOL TEST DEVICE

LINE-THROWING APPLIANCE

4



FURUNO GMDSS RADIO CONSOLE

NOTE!  
"OOV" PLEASE CHECK GMDSS FAX/TELEX  
& MF/HF DSC DURING WATCHING &  
KEEP MSG PAPER CLEAR.  
THANKS

CHỈ SẼ QUẢN ĐỐC MỚI ĐƯỢC PHÉP SỬ DỤNG  
MF - HF - TELETYPE VÀ FAX. CÁC CHỨC  
PHẢI ĐƯỢC PHÉP CỦA STOWAY BOARD TRƯỞNG CẢ.

Email liên lạc cty  
tlongnam@giangnampetrol.com.vn  
clpa@giangnampetrol.com.vn



FURUNO WATCH RECEIVER  
FURUNO DSC TERMINAL DSC-6A  
FURUNO CONTROLLER

SEVEN 57439500  
CALL SIGN: 3WV

FURUNO  
MMSI 574 395 000

HOW TO TEST MESSAGE  
F1-SETUP-PROGRAM SETUP-COMMAND KEY  
F2-ENTER-PASSWORD - Ship security  
F3-MSG REPORT-F 3. SSAS REPORTS  
F4-STATUS-ENTER-TEST-F 5-YES

DESIGNATED PERSON (S) WITH RESPONSIBILITY  
FOR THE RADIO COMMUNICATIONS DURING  
EMERGENCIES: 2<sup>nd</sup> OFFICER

SWITCH OFF DURING  
CARGO OPERATION &  
GAS FREE

MM-C-1  
File Edit Transmit RPT Reports Setup Options Help

Ship	00-00-00	000	00-00-00	000	00-00-00
Port	00-00-00	000	00-00-00	000	00-00-00
Report	00-00-00	000	00-00-00	000	00-00-00
SSAS	00-00-00	000	00-00-00	000	00-00-00
SSAS	00-00-00	000	00-00-00	000	00-00-00
SSAS	00-00-00	000	00-00-00	000	00-00-00
SSAS	00-00-00	000	00-00-00	000	00-00-00
SSAS	00-00-00	000	00-00-00	000	00-00-00

Current State / ISM  
Sailing Report Program (RPT)

SN-100 HSDP TERMINAL

CH : 241 (TLX)  
TX : 12,510.50 KHz  
RX : 12,613.00 KHz

Clears RT To Power REC  
M -> M -> M -> M -> M -> M ->

MMSE: 574395000 CALL SIGN: 3WV

2 182.00  
711.00






DURING CARBO

FleetOne

DANGER  
HIGH  
VOLTAGE



ZIGBOOK

3/ORDOL

OTHER ITEMS

2



2



First aid





MO No: 9140580





IMO No: 9140580

