



中国驰名商标
China Well-Known Brand

双登集团
SHUANGDENG GROUP
江苏双登电源有限公司
JIANGSU SHUANGDENG POWER SUPPLY CO.,LTD.
江苏省泰州市双登工业园
Shuangdeng Sci.&Ind.Park,Taizhou,JiangSu
生产许可证(Production Licence): XK06-044-00012
免费服务电话(Free service telephone): +86-4008-899-886
邮箱地址(E-mail): dy-sz@shuangdeng.com.cn

阀控密封式铅酸蓄电池
VALVE REGULATED LEAD-ACID BATTERY

6-GFM-150

12V150Ah(C10)

25°C浮充电压(25°C Floating Voltage): 13.38 V
端子扭矩(Terminal Hardware Torque): 15-17 Nm
最大充电电流(Charge Current Max): 30 A



Pb





中国驰名商标
China Well-Known Trademark
国家环境友好企业
China Environment Friendly Enterprise

阀控密封式铅酸蓄电池

VALVE REGULATED LEAD-ACID BATTERY

6-GFM-100 12V100Ah(C10)

25°C浮充电压(25°C Floating Voltage): 13.38 V
端子扭矩(Terminal Hardware Torque): 9~11 Nm
最大充电电流(Charge Current Max): 20 A

双登集团
SHUANGDENG GROUP
江苏双登电源有限公司
JIANGSU SHUANGDENG POWER SUPPLY CO.,LTD.
江苏省姜堰市梁徐镇双登科工业园区
Shuangdeng Sci & Ind Park Liangxu town, Jiangyan, Jiangsu, China
生产许可证(Production Licence): XK06-044-00012
免费服务电话(Free service telephone): +86-4008-899-886
邮箱地址(E-mail): dy-sz@shuangdeng.com.cn



CE



Ph





江苏双登集团有限公司
JIANGSU SHUANGDENG GROUP CO.,LTD.
江苏省姜堰市梁徐镇双登科工园区
Shuangdeng Sci & Ind Park Liangxu town, Jiangyan, JiangSu, China
生产许可证(Production Licence): XK06-044-00012
免费服务电话(Free service telephone): +86-4008-899-886
邮箱地址(E-mail): gjpt@chinashoto.com

阀控密封式铅酸蓄电池

VALVE REGULATED LEAD-ACID BATTERY

6-GFM-150 12V150Ah(C10)

25°C浮充电压(25°C Floating Voltage): 13.38 V
端子扭矩(Terminal Hardware Torque): 15~17 Nm
最大充电电流(Charge Current Max): 30 A



Thu hồi Tôn Thất Thuyết 2

FIAMM *ENERLITE*
12SP150 _F
12V 150Ah

CHARGING INSTRUCTION (AT 20°C)

	STANDBY USE	CYCLIC USE
VOLTAGE REGULATION	13.50 - 13.80 V	14.4 - 15.0 V
INITIAL CURRENT	38 A MAX	

- NON SPILLABLE BATTERY
- RISK OF FIRE, EXPLOSION OR BURN
- DO NOT DISASSEMBLE, HEAT ABOVE 50°C OR INCINERATE
- BATTERY MUST BE RECYCLED



www.fiamm.com





28539 F01
PLEASE REUSE OR RECYCLE OR DISPOSE OF
PROPERLY. CALL TEL. 1-877-288-7722

RA12-170F [12V170AH/10HR]

**INDUSTRIAL VALVE REGULATED RECHARGEABLE
BATTERY(NONSPILLABLE/MULTRIPLE GEL)**


CONSTANT VOLTAGE CHARGE

- CYCLE USE: 14.6-14.8V (25°C)
- STANDBY USE: 13.6-13.8V (25°C)
- INITIAL CURRENT LESS THAN 51A
- DO NOT SHORT CIRCUIT THE BATTERY
- RECHARGE AFTER USE



Pb

SHENZHEN RITAR POWER CO.,LTD.






SOLAR GEL

POSIMOX[®]

SG 1500P [12V150Ah]



NONSPILLABLE SEALED
LEAD ACID BATTERY
MUST BE RECYCLED OR
DISPOSED OF PROPERLY



DAEJIN KOREA'S TECHNOLOGY AND MATERIALS
Assembly by POSTEF



GPP 121500G

12V 150AH

CONSTANT VOLTAGE CHARGING

CYCLE USE : 14.4 - 14.7V

STANDBY USE : 13.5 - 13.8V

INITIAL CURRENT : LESS THAN 37.5A



**Maintenance-Free Rechargeable
GelBattery**


(MADE IN MALAYSIA)

ISO 9001  



Caution :

- Avoid short-circuit
- Recharge after use
- Do not charge under air-tight conditions
- Warning : Risk of fire, explosion, or burns
- Do not disassemble, heat above 50°C, or incinerate





阀控密封式铅酸蓄电池
VALVE REGULATED LEAD-ACID BATTERY
6-GFM-150 12V150AH(20hr)

阀控密封式铅酸蓄电池
VALVE REGULATED LEAD-ACID BATTERY
6-GFM-150 12V150AH(20hr)



阀控密封式铅酸蓄电池
VALVE REGULATED LEAD-ACID BATTERY
6-GFM-150 12V150AH(20hr)

smox
1500P (12V150AH)

01

CFM

FL
12






EMERSON™
Network Power

RJ®

T12V165SEF/A

12V 165Ah 10HR 1.80V/cell(25°C)
Constant Voltage Charging
Float Voltage: 13.6V/unit (25°C)
Temperature Compensation: -0.018V/°C-unit
Charge current: 0.25C₁₀(MAX)



NONSPILLABLE BATTERY
MADE IN CHINA
Manufacturer's ID: B
Warning:
Risk of fire, explosion, or burns. Do not disassemble,
heat above 50°C, or incinerate. If there's anything
abnormal, please contact the dealer to handle.

Emerson Network Power Co., Ltd.
www.emersonnetworkpower.com





shoto

AMANDA BATTERY GROUP ASIA PTD
3100 Woodlands Industrial Park East, Singapore, Singapore
Tel: +65 6753 8888
Fax: +65 6753 8889
www.amanda.com.sg

SUNAN
SUNAN BATTERY

閥控密封式鉛酸蓄電池
VALVE REGULATED LEAD-ACID BATTERY
6-GFM-150
12V150AH(C10)

閥控密封式鉛酸蓄電池
VALVE REGULATED LEAD-ACID BATTERY
6-GFM-150
12V150AH(C10)

25°C 浮充電壓 (25°C Floating Voltage): 13.38 V
端子間電壓 (Terminal Voltage): 12.6 V
最大充電電流 (Charge Current Max): 30 A

TRANG SANG
3,8 kg x 4 can

19001218

Job

New 26kg
24kg

BONG LAU









LJOA
AUTOMATIC VOLTAGE STABILIZER

INPUT 100V - 250V
OUTPUT 100V - 120V - 220V
CAP 1000VA

Auto reset system

LJOA - Hbat Linh Manufacturing Co., Ltd.



INPUT
100V - 240V

OUTPUT
110V/220V

PHIẾU BẢO HÀNH **AST**
VETERINCO, Ltd
WWW.AST-VN.COM

10 ngày kể từ việc mua máy khách hãy yêu cầu đại lý gửi ra phiếu bảo hành và vận hàng.
- Nếu trên phiếu bảo hành không ghi rõ ngày bảo hành khách hàng được quyền đi khiếu nại ngay.
- Thời hạn bảo hành là 12 tháng.
- Hàng do mua không phải bảo hành.

Ngày SX: / / ACS /
Ngày Bảo: / / Đại lý: / /

Liên hệ: / /

CHÍNH SÁCH BẢO HÀNH
- Bảo hành miễn phí vận chuyển.
- Bảo hành miễn phí vận chuyển.
- Bảo hành miễn phí vận chuyển.
- Bảo hành miễn phí vận chuyển.
- Bảo hành miễn phí vận chuyển.
- Bảo hành miễn phí vận chuyển.
- Bảo hành miễn phí vận chuyển.
- Bảo hành miễn phí vận chuyển.
- Bảo hành miễn phí vận chuyển.
- Bảo hành miễn phí vận chuyển.



AST[®]
VIET LINH Co., Ltd.
ISO 9001-2000

ỔN ÁP TỰ ĐỘNG
Automatic Voltage Stabilizer



ON



OFF

POWER 20 KVA
Model: 20 k- SRN

Auto Reset System
www.ast-vn.com

13°58'54"N 108°3'30"E

792 Quốc lộ 19

Thành phố Pleiku

10 Th9, 2021 15:59:28



GPP 122000

12V 200AH

CONSTANT VOLTAGE CHARGING

CYCLE USE	14.5 - 14.9V
STANDBY USE	13.5 - 13.8V
INITIAL CURRENT	LESS THAN 60A



**Maintenance-Free Rechargeable
Sealed Lead Acid Battery**

(MADE IN MALAYSIA)

ISO 9001



Caution :
Avoid short-circuit
Recharge after use
Do not charge under air-tight conditions
Warning : Risk of fire, explosion, or burns
Do not disassemble, heat above 50°C, or incinerate

8/4/2022
Ta Phang
Chư Pưh
5/8 Bình

8/4/2022
Ta Phang
Chư Pưh
6/8 Bình

8/4/2022
Ta Phang
Chư Pưh
7/8 Bình

8/4/2022
Ta Phang
Chư Pưh
8/8 Bình

8/4/2022
Ta Phang
Chư Pưh
4/8 Bình

8/4/2022
Ta Phang
Chư Pưh
3/8 Bình

8/4/2022
Ta Phang
Chư Pưh
2/8 Bình

8/4/2022
Ta Phang
Chư Pưh
1/8 Bình



10
K U
/2022
Binh

7/4/2022
Ta Siem
Krong Pa
1/8 Binh

7/4/2022
Ta Siem
Krong Pa
2/8 Binh

7/4/2022
Ta Siem
Krong Pa
3/8 Binh

G
2022

7/4/2022
Ta Siem
Krong Pa
4/8 Binh

7/4/2022
Ta Siem
Krong Pa
5/8 Binh

7/4/2022
Ta Siem
Krong Pa
6/8 Binh

07/04/2022 08:05 AM Thành phố Pleiku, Gia Lai, Việt Nam.

7/14/2022

Ta Siem

Klông Pa

7/8 Bins

7/14/2022

Ta Siem

Klông Pa

8/8 Bins

Timestamp Camera



Timestamp Camera

Timestamp Camera

Timestamp Camera



7/14/2022
TAN MA
Khang Pa
6/8/2022

7/14/2022
TAN MA
Khang Pa
5/8/2022

7/14/2022
TAN MA
Khang Pa
4/8/2022

7/14/2022
TAN MA
Khang Pa
3/8/2022

7/14/2022
TAN MA
Khang Pa
2/8/2022

TAN MA
Khang Pa
1/8/2022

04
Lò Kư
1/8/2022

02
Lò Kư
2/8/2022

02
Lò Kư
3/8/2022

03
Lò Kư
4/8/2022

07/04/2022 08:06 AM Thành phố Pleiku, Gia Lai, Việt Nam.



5/4/2022
 LỒ KUU
 Lku
 5/8 BÌNH
 KBANG
 04

03
 5/4/2022
 LỒ KUU
 6/8 BÌNH
 Lku
 KBANG

5/4/2022
 LỒ KUU
 Lku
 7/8 BÌNH
 KBANG
 01

01
 LỒ KUU
 5/4/2022
 8/8 BÌNH
 KBANG

Lku
 KBANG
 5/4/2022
 LỒ KUU
 1/8 BÌNH
 04

Lku
 KBANG
 5/4/2022
 LỒ KUU
 2/8 BÌNH
 02

KBANG
 Lku
 5/4/2022
 LỒ KUU
 3/8 BÌNH
 02

KBANG
 5/4/2022
 Lku
 LỒ KUU
 4/8 BÌNH
 03



VULCAN
G-POWER

FRAGILE
THIS SIDE UP

FRAGILE
THIS SIDE UP

FRAGILE
THIS SIDE UP

FRAGILE
THIS SIDE UP

ate

04/20/14

80

80

GASOLINE



DIESEL
KDE8500T
SILENT GENERATOR

CE


12

AREA FOR
ADDRESS
PACKING LIST



04R
000
Made in Vietnam
BY VNT TECHNOLOGY


VNT
TECHNOLOGY



SOLAR GEL
POSIMAX[®]
SG 1500P (12V150AH)




MADE IN VIETNAM
BY VNT TECHNOLOGY
ASSEMBLY BY POSITEF



SOLAR GEL
POSIMAX[®]
SG 1500P (12V150AH)



MADE IN VIETNAM
BY VNT TECHNOLOGY
ASSEMBLY BY POSITEF



MYTV Set-top box
Powered by
Android TV




igate

GASOLINE GENERATOR

 **EURO GOLDEN**
POWER GENERATION

Control panel of the generator featuring the following components:

- STARTER SW.:** A rotary switch with "OFF" and "ON" positions.
- POWER:** Two indicator lights, one red and one green.
- VOLTMETER:** A rectangular analog gauge.
- BREAKER:** A circuit breaker switch.
- FUSE:** A fuse holder containing a fuse labeled "DZ-7-63".
- AC220V:** Two standard AC power outlets.



VT CHUSE: KK 29/11/2017-CC 4192-2009

AST[®]
VIET LINH Co., Ltd.
ISO 9001-2000

ỔN ÁP TỰ ĐỘNG
Automatic Voltage Stabilizer



Handwritten: 12C bus

POWER 20 KVA
Model: 20 k-DRN

Auto Reset System
www.ast-un.com

Handwritten: ONOP TRCm



GW020-H
Work Terminal
GPON Opti



Nagakawa

CE







lotOmega
ISO 9001:2008

cap
en b
s